

SCHEDA TECNICA

BL 20 JC Z22 II3D

INDUSTRIAL VACUUM

ASPIRATORI INDUSTRIALI ATEX ED ACD

The **BL 20 JC Z22 industrial vacuum cleaner** is one of the **most compact vacuum cleaners** in the **Depureco line**. **Suction** takes place thanks to a **high-performance Brushless motor** that guarantees silence and power. The **BL 20 JC Z22 industrial vacuum cleaner** has a large surface filter (35,000 cm²) certified in **class M**, with a **filtration efficiency** of up to 1 micron. On request, it is possible to install an **absolute filter H14** to be able to vacuum even the finest dust. On this **vacuum cleaner**, there is a semi-automatic **JetClean® filter cleaning system** that allows you to **clean the filter** without having to stop the suction. The material is collected in an **AISI 304 stainless steel container**, on wheels, with a capacity of 20 Lt.

**POTENZA**
1,1 kW**SUPERFICIE**
35.000 cm²**CAPACITÀ**
20 Lt

HIGHLIGHTS



SUCTION UNIT

The suction unit is a powerful brushless motor, which is suitable to work in continuous mode. There are two filters on the motor head: one to protect the motor and the other positioned on the air outlet. The exhaust air is totally carbon free.



FILTERING ELEMENT

The filtration is guaranteed by a sturdy polyester filtering cartridge. The cartridge is made to ensure large filter surface (34.000 cm²) in a compact space. This way air can pass through when the filter is dirty too. The filter is M Class (BIA | EN 60335-2-69) certified. It stops the particles until 1 micron, preserving the motors and the operator.



COLLECTION BIN

The vacuumed material is collected in an AISI 304 stainless steel container to avoid any spark that could be generated by the electrostatic charge. Thanks to the 4 sturdy pivoting wheels, the bin can be moved very easily to then dispose of the collected material.



JETCLEAN® FILTER CLEANING SYSTEM

The vacuum cleaner is equipped with a new filter cleaning system named JetClean® designed by Depureco. Using the difference in pressure outside and inside the vacuum cleaner, the system generates an air jet which by traveling through the cartridge detaches the dust from the filter's surface. It is a fast and efficient way to keep the filter clean during operations, without stopping the vacuuming operations.

DATI TECNICI

MOTORE

Tipologia	brushless
Marcatura ATEX	II 3 D Ex htc IIIB T140°C Dc
Voltaggio	110/230V
Massimo vuoto	230mBar
Massima portata d'aria	220m3/h
Livello di rumorosità	72dB(A)
Frequenza	50/60Hz
Potenza	1,5HP

FILTRO PRIMARIO

Tipologia	conical cartridge
Diametro	305mm
Classe EN 60335-2-69	M Class
Media	antistatic polyester
Pulizia filtro	Jet Clean

MACCHINA

Bocca aspirante	50Ø mm
Dimensioni	516 x 545mm
Altezza	1.050mm
Peso	38Kg

OPZIONI

MEDIA FILTRANTE DISPONIBILE

HEPA 14

Filtro assoluto (EN 1822)
 22.000 cm² superficie filtrante
 Classe H14 (EN 1822)
 Fibra di vetro

OPZIONI
ALTRÉ OPZIONI

BX

Containitore in acciaio INOX AISI 304

ACCESSORI

P13642
ATEX KIT PRO Ø 40MM

Kit completo di accessori antistatici per applicazione con aspiratore ATEX in diametro 40 mm


P13642
ATEX KIT PRO Ø 40MM

Kit completo di accessori antistatici per applicazione con aspiratore ATEX in diametro 40 mm


P13642
ATEX KIT PRO Ø 40MM

Kit completo di accessori antistatici per applicazione con aspiratore ATEX in diametro 40 mm