

SCHEDA TECNICA

XM35 JET CLEAN® LP

INDUSTRIAL VACUUM

ASPIRATORI INDUSTRIALI WET&DRY MONOFASE

The XM35 Jet Clean® LP is a **powerful** and **safe** **industrial vacuum**, easily transportable thanks to the trolley mounted on industrial castor wheels. Suction is generated by **two powerful By-Pass motors** installed under a soundproof metal casing. The **professional suction** features are incredibly **high performance** and far outweigh the vacuum cleaners in its category on the market. In this vacuum, there is a **cartridge filter** fitted under the **filter chamber** certified by **BIA** (Berufsgenossenschaftliches Institut für Arbeitssicherheit) in **M Class** with a **1µ filtration efficiency**. Furthermore, thanks to the **40,000 cm²** of filtering surface, **large amounts of dust** can be vacuumed without clogging the filter, thereby ensuring operator safety. The **industrial vacuum** of Depureco's **single-phase range** is equipped with a **JetClean® filter cleaning system** that cleans the filter using the pressure differential between the inside and the outside of the vacuum. The filter can be cleaned without turning the suction motors off and without disconnecting the suction pipe. This **vacuum cleaner** is equipped with a **Longopac® system** that is used to bag the material directly without any contact between the operator and the **vacuumed product**.



POTENZA
2,6 kW



SUPERFICIE
35.000 cm²



CAPACITÀ
longopac Lt

HIGHLIGHTS

SUCTION UNIT



The vacuum is generated by 2 by-pass motors. Each motor is managed by an independent switch, permitting the operator to control the intake performance. The motors are located in a sturdy casing, with an insulating sponge to maintain a low noise level.



JET CLEAN® FILTER CLEANING SYSTEM

The vacuum cleaner is equipped with a new filter cleaning system named JetClean® designed by Depureco. Using the difference in pressure outside and inside the vacuum cleaner, the system generates an air jet which by travelling through the cartridge detaches the dust from the filter's surface. It is a fast and efficient way to keep the filter clean during operations, without stopping the vacuuming operations.



FILTERING ELEMENT

The filtration is guaranteed by a sturdy polyester filtering cartridge. The cartridge is made to ensure large filter surface in a compact space. This way air can pass through when the filter is dirty too. The filter is M Class (BIA | EN 60335-2-69) certified. It stops the particles till 1 micron, preserving the motors and the operator.



LONGOPAC®

The vacuumed material is collected inside a durable plastic bag named Longopac® which is 20 mt. long. The bag is rolled up under the filter chamber and is adjustable for every need. The operator, once the bag is full, will seal the bag by closing it above the collected material, which falls automatically inside the bag during the vacuuming operations. The full part of the bag can subsequently be cut off and disposed of, in total safety, without any contact occurring between the operator and the material.

DATI TECNICI

MOTORE

Tipologia	by-pass
Voltaggio	230V
Massimo vuoto	250mBar
Massima portata d'aria	380m3/h
Livello di rumorosità	72dB(A)
Frequenza	50/60Hz
Potenza	3,5HP

FILTO PRIMARIO

Tipologia	conical cartridge
Classe EN 60335-2-69	M Class
Media	PTFE
Pulizia filtro	Jet Clean
Efficienza filtrante (IFA)	IFA/BGIA M-PES

MACCHINA

Bocca aspirante	50Ø mm
Dimensioni	5.485 x 545mm
Altezza	1.395mm
Peso	45Kg

OPZIONI

MEDIA FILTRANTE DISPONIBILE

HEPA 14

Filtro assoluto (EN 1822)
 22.000 cm² superficie filtrante
 Classe H14 (EN 1822)
 Fibra di vetro

OPZIONI
ALTRÉ OPZIONI


AB
 Cassetta porta accessori



BX
 Contenitore in acciaio INOX AISI 304



GRD
 Messa a terra



24 VOLT
ON **OFF**



RC SCHUKO
 Controllo remoto da elettrodomestico (MAX 2000 W)

ACCESSORI

P12348
DRY KIT Ø 50MM

Kit completo di accessori specifici per aspirazione polveri e solidi in diametro 50 mm


P12348
DRY KIT Ø 50MM

Kit completo di accessori specifici per aspirazione polveri e solidi in diametro 50 mm


P12348
DRY KIT Ø 50MM

Kit completo di accessori specifici per aspirazione polveri e solidi in diametro 50 mm


P12348
DRY KIT Ø 50MM

Kit completo di accessori specifici per aspirazione polveri e solidi in diametro 50 mm